

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... FEB 12 1971

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... FEB 17 1971

Charleston Park Restaurant & Cocktail Lounge, Inc.,
The applicant (c/o Laxalt, Bell, Berry, Allison & Lebaron) Attn: Joe W.
Brown First National Bank Building, Suite 306
of 302 East Carson Avenue, Las Vegas County of.....

State of Nevada 89101....., hereby make.... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

January 15, 1968, Las Vegas, Nevada

1. The source of the proposed appropriation is..... underground source
Name of stream, lake or other source.....

2. The amount of water applied for is..... 0.01115 (5gpm)..... second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for..... Quasi-Municipal (Resort Complex)
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 11. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: NW¼ NE¼ of Section 36,

Township 19 South, Range 56 East M.D.B.&M. at a point from which

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

the North Quarter (N¼) corner of said Section 36 bears North 2°39'13"
West a distance of 1283.91 feet
it should be stated

6. Place of use Portions of the NE¼ NW¼ and NW¼ NE¼ of Section 36, Township 19
Describe by legal subdivision, if on unsurveyed land it should be so stated.

South, Range 56 East, M.D.B.&M.

7. Use will begin about January 1st and end about December 31st, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Works presently exist and consist

of a drilled well 377 feet deep with 8 inch casing to a depth of 377
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

feet and a 5 horsepower "Sta Rite" submersible motor, 1-½" discharge
pump and 300 gallon pressure tank

9. Estimated cost of works..... Works presently exist.
10. Estimated time required to construct works..... Works presently exist.
11. Estimated time required to complete the application to beneficial use..... One Year
12. Remarks..... Water to be used in the restaurant snack bar and cocktail lounge
of the Charleston Park Restaurant & Cocktail Lounge

Applicant..... Charleston Park Restaurant & Cocktail Lounge, Inc.

By..... s/ R. LeRoy Givens, State Water Right
R. LeRoy Givens, Surveyor
c/o Boyle Engineering
1209 South Commerce Street
Las Vegas, Nevada 89102

Compared..... sb/Jw lj/gs

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01115 cubic feet per second, but not to exceed 0.73 M.G. annually.

Actual construction work shall begin on or before..... February 23, 1972

Proof of commencement of work shall be filed before..... March 23, 1972

Work must be prosecuted with reasonable diligence and be completed on or before..... February 23, 1973

Proof of completion of work shall be filed before..... March 23, 1973

Application of water to beneficial use shall be made on or before..... February 23, 1975

Proof of the application of water to beneficial use shall be filed on or before..... March 23, 1975

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... APR 10 1972
Completion of work filed..... APR 10 1972
Proof of beneficial use filed..... APR 25 1972
Cultural map filed.....
Certificate No. 9452 Issued 8/28/80
Recorded..... Bk..... Page.....
County Recorder

IN TESTIMONY WHEREOF, ROLAND D. WESTERGARD
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 23 day of August

A.D. 19 71

Roland D. Westergard
State Engineer